



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)	<i>Complete if Known</i>	
	Application Number	09/919,483
	Filing Date	July 31, 2001
	First Named Inventor	Zhu, Qingsheng
	Group Art Unit	3762
	Examiner Name	Getzow, Scott
Sheet 1 of 1		Attorney Docket No: 279.374US1

US PATENT DOCUMENTS						
Examiner Initial *	USP Document Number	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	Filing Date If Appropriate
JS	US-5,562,711	10/08/1996	Yerich, C. G., et al	607	17	11/30/1994
JS	US-6,473,640	10/29/2002	Erlebacher, Jay	600	547	01/20/2000

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Foreign Document No	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	T ²

OTHER DOCUMENTS -- NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
56		LUEPKER, R..V. ,et al. , "Transthoracic Electrical Impedance: Quantitative Evaluation of a Non-Invasive Measure of Thoracic Fluid Volume", <u>American Heart Journal</u> , Vol. 85, No. 1, (January 1973), 83 - 93	

RECEIVED
DEC - 2 2002
TECHNOLOGY CENTER R3700

EXAMINER	56,	DATE CONSIDERED	2/3/03
----------	-----	-----------------	--------

Substitute Disclosure Statement Form (PTO-1449)
* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional) 2 Applicant is to place a check mark here if English language Translation is attached